Item Position		
	D is correct	To determine the equivalent expression, the student could have rewritten $\sqrt{}$ as $\sqrt{}$ and then calculated the square root (a value that when multiplied by itself is equal to the number under the $\sqrt{}$) of 9, to get $\sqrt{}$ or $\sqrt{}$. This is an efficient way to solve the problem; however, other met hods could be used to solve the problem correctly.
	Option A is incorrect	The student likely reversed the placement of the values 3 and 5 after calculating the square root and then added 7 and 5, resulting in $\sqrt{}$ or $\sqrt{}$. The student needs to focus on understanding how to simplify square roots.
	Option B is incorrect	The student likely reversed the placement of the values 3 and 5 after calculating the square root, resulting in $\sqrt{}$ or $\sqrt{}$

$\sqrt{}$ or $\sqrt{}$. The student needs to focus on understanding how to simplify square roots.

STAAR Spring 2024 Algebra 1 Mathematics Rationales

Item Position	Rationale	
6	Option B is correct	To determine the equivalent expression, the student could have first applied the power of a power property [$(a^m)^n = a^{mn}$] to $(6x^2y)^2$, resulting in $6^2x^{2(2)}y^2$, or $36x^4y^2$. Next, the student could have applied the product of powers property ($a^m a^n = a^{m+n}$), resulting in $24x^{4+3}y^{2+4}$, or $24x^7y^6$. This is an efficient way to solve the problem; however, other methods could be used to solve the problem correctly.
	Option A is incorrect	The student likely applied the power of a power and product of powers properties only to the variables and then found the product of the coefficients, resulting in $4x^7y^6$. The student needs to focus on understanding how to use the properties of exponents to simplify expressions.
	Option C is incorrect	The student likely found the product of the coefficients but multiplied the exponents for each variable instead of applying the power of a power and product of powers properties, resulting in $4 \cdot x^{2(2)(3)} \cdot y^{1(2)(4)}$ or $4x^{12}y^8$. The student needs to focus on understanding how to use the properties of exponents to simplify expressions.
	Option D is incorrect	The student likely applied the power of a power property to $(6x^2y)^2$ but then multiplied the exponents for each variable instead of applying the product of powers property, resulting in $24x^{4(3)}y^{2(4)}$ or $24x^{12}y^8$. The student needs to focus on understanding how to use the properties of exponents to simplify expressions.

STAAR Spring 2024 Algebra 1 Mathematics Rationales

Item Position	Rationale
7	Option C

STAAR Spring 2024 Algebra 1 Mathematics

Item Position	Rationale	
8	–14, 61	To determine the equation that can be used to find the nth term of the sequence, a_n, the student could have recognized that the pattern in the sequence is arithmetic (sequence of numbers where the difference between every two consecutive terms is the same). The student then could have found the common difference between the first two consecutive terms, resulting in $d = 33 - 47 = -14$. Next, the student could have substituted $a_1 = 47$ and $d = -14$ into the formula for an arithmetic sequence ($a_n = a_1 + (n - 1)(d)$, where n represents the position of the nth term, a_1 represents the first term, and d represents the common difference), resulting in $a_n = 47 + (n - 1)(-14)$, $a_n = 47 - 14n + 14$, and $a_n = -14n + 61$. This is an efficient way to solve the problem; however, other methods could be used to solve the problem correctly.

Item Position		Rationale
9	Option D is correct	To determine the range (all possible *y*-values) of the function, the student could have graphed the quadratic function and analyzed the parabola (U-shaped graph). The student could have determined that the graph extends downward and outward indefinitely, and the vertex (highest or lowest point of the curve) is located at (30, 900). The student could have identified *y* = 900 as the maximum

Item Position		Rationale
10	Option A is correct	To determine the type of linear association that exists between hours worked and overall grade average, the student

		a measure of the strength of the linear association.

Item Position	Rationale	
12	Solid line going through (0, –2) and (2, –1); shading the area that includes the point (0, 0)	To determine the solution set for the linear inequality $y \geq \frac{1}{2}x - 2$, the student should have recognized that the graph of the solution set would have a solid boundary line since the inequality symbol "≥" is given. To graph the boundary line, the student could have used a slope (steepness of a straight line when graphed on a coordinate grid) of $\frac{1}{2}$ and a *y*-intercept (value where a graph crosses the *y*-axis) of –2. The student could have determined

Item Position	Rationale	
13	Option A is correct	To determine the cost of 1 cup of coffee, the student could have set up and solved a system of equations (two or more equations containing the same set of variables [symbols used to represent unknown numbers]). If x represents the cost of 1 cup of coffee and y represents the cost of 1 doughnut, the student could have set up two equations: $x + 2y = 4.90$ (1 cup of coffee and 2 doughnuts for a total cost of $4.90) and $2x + 3y = 8.60$ (2 cups of coffee and 3 doughnuts for a total cost of $8.60). Next, the student could have solved the system of equations using the elimination method. The student could have multiplied the first equation by 2, resulting in $2x + 4y = 9.80$. Next, the student could have subtracted the second equation from this equation, resulting in $(2x + 4y) – (2x + 3y) = 9.80 – 8.60$, or $y = 1.20$. Last, the student could have substituted $y = 1.20$ back into the first equation and solved for x, resulting in $x + 2(1.20) = 4.90$, $x + 2.40 = 4.90$, and $x = 2.50$. Since x represents the cost of 1 cup of coffee, the student could have concluded that the cost of 1 cup of coffee is $2.50. This is an efficient way to solve the problem; however, other methods could be used to solve the problem correctly.
	Option B is incorrect	The student likely set up and solved the system of equations correctly but found the cost of 1 doughnut, $1.20, instead of the cost of 1 cup of coffee. The student needs to focus on understanding what value each variable represents in terms of the situation when solving a system of equations.
	Option C is incorrect	The student likely selected the total cost from the first customer, $4.90, since this customer purchased 1 cup of coffee. The student needs

		to focus on understanding how to write and solve a system of equations from a verbal description.
	Option D is incorrect	The student likely selected the difference between the total costs for the two customers, $8.60 - $4.90 = $3.70, since the second customer purchased 1 additional cup of coffee and 1 additional doughnut. The student needs to focus on understanding how to write and solve a system of equations from a verbal description.

Item Position		Rationale
14	Option C is correct	To determine the equation that is best represented by the graph, the student could have used the slope-intercept form of a linear equation ($y = mx + b$, where

STAAR Spring 2024 Algebra 1 Mathematics Rationales

Item Position	Rationale
15	Option B is

STAAR Spring 2024 Algebra 1 Mathematics Rationales

Item Position	Rationale

Item Position	Rationale
18	Option B is correct To deter (o)-ordon

STAAR Spring 2024 Algebra 1 Mathematics Rationales

Option

Item Position		Rationale
19	Option C is correct	To determine which function represents the relation shown in the table, the student should have recognized that an exponential function is of the form $g(x) = ab^x$, where a is the initial value (starting value), b is the common factor (constant rate by which successive values increase or decrease), and x is the variable (symbol used to represent an unknown number). From the information given in the table, the student could have determined the common factor, b, by dividing each value of $g(x)$ by the previous value of $g(x)$, resulting in $\frac{18}{6}$

STAAR Spring 2024 Algebra 1 Mathematics Rationales

STAAR Spring 2024 Algebra 1 Mathematics Rationales

Item

Item Position	Rationale	
21	Option B is correct	To determine the equation for g, the student could have first identified $f(x) = x^2$ as the quadratic parent function and represented the new function using the equation $g(x) = af(x - c) + d$, where a represents the vertical stretch, c represents the horizontal translation, and d represents the vertical translation. Then the student could have recognized that vertex of the graph of f is translated 3 units to the left and 2 units down to create the graph of g. Since c represents the horizontal translation, the student could have concluded that $c = -3$. Since d represents the vertical translation, the student could have concluded that $d = -2$. Next, the student could have recognized that the graph of f is stretched vertically by a factor of 2 to create the graph of g. Since a represents the vertical stretch, the student could have concluded that $a = 2$. Last, the student could have substituted $a = 2$, $c = -3$, and $d = -2$ into the equation $g(x) = af(x - c) + d$ to obtain $g(x) = 2f(x - (-3)) + (-2)$, or $g(x) = 2f(x + 3) - 2$. This is an efficient way to solve the problem; however, other methods could be used to solve the problem correctly.
	Option A is incorrect	The student likely did not recognize that the graph of f was vertically stretched by a factor of 2 to create the graph of g and selected the equation $g(x) = f(x + 3) - 2$. The student needs to focus on understanding how transformations of the graph of a function affect the equation of the function.
	Option C is incorrect	The student likely did not recognize that the graph of f was vertically stretched by a factor of 2 to create the graph of g and made sign errors when substituting $c = -3$ and $d = -2$ into the equation $g(x) = af(x - c) + d$. Therefore, the student selected the equation $g(x) = f(x - 3) + 2$. The student needs to focus on understanding how transformations of the